

CORRELATIONS

```

/VARIABLES=X1.1 X1.2 X1.3 X1.4 X1.5 X1.6 X1.7 X1.8 X1.9 X1.10 X1.11 X1.12 X1
.13 X1.14 X1.15 X1.16 X1.17 X1.18 X1.19 X1.20 X1.21 Total_X1
/PRINT=TWOTAIL NOSIG
/MISSING=PAIRWISE.
    
```

## Correlations

### Notes

Output Created		13-MAR-2023 10:55:11
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	50
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		CORRELATIONS /VARIABLES=X1.1 X1.2 X1.3 X1.4 X1.5 X1.6 X1.7 X1.8 X1.9 X1.10 X1.11 X1.12 X1.13 X1.14 X1.15 X1.16 X1.17 X1.18 X1.19 X1.20 X1.21 Total_X1 /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00,03
	Elapsed Time	00:00:00,08

**Correlations**

		X1.1	X1.2	X1.3	X1.4	X1.5	X1.6
X1.1	Pearson Correlation	1	,569**	,612**	,355*	,324*	,403**
	Sig. (2-tailed)		,000	,000	,011	,022	,004
	N	50	50	50	50	50	50
X1.2	Pearson Correlation	,569**	1	,766**	,493**	,483**	,475**
	Sig. (2-tailed)	,000		,000	,000	,000	,000
	N	50	50	50	50	50	50
X1.3	Pearson Correlation	,612**	,766**	1	,665**	,609**	,585**
	Sig. (2-tailed)	,000	,000		,000	,000	,000
	N	50	50	50	50	50	50
X1.4	Pearson Correlation	,355*	,493**	,665**	1	,888**	,895**
	Sig. (2-tailed)	,011	,000	,000		,000	,000
	N	50	50	50	50	50	50
X1.5	Pearson Correlation	,324*	,483**	,609**	,888**	1	,938**
	Sig. (2-tailed)	,022	,000	,000	,000		,000
	N	50	50	50	50	50	50
X1.6	Pearson Correlation	,403**	,475**	,585**	,895**	,938**	1
	Sig. (2-tailed)	,004	,000	,000	,000	,000	
	N	50	50	50	50	50	50
X1.7	Pearson Correlation	,367**	,565**	,686**	,725**	,763**	,713**
	Sig. (2-tailed)	,009	,000	,000	,000	,000	,000
	N	50	50	50	50	50	50
X1.8	Pearson Correlation	,489**	,666**	,625**	,566**	,599**	,564**
	Sig. (2-tailed)	,000	,000	,000	,000	,000	,000
	N	50	50	50	50	50	50
X1.9	Pearson Correlation	,388**	,428**	,398**	,554**	,569**	,647**
	Sig. (2-tailed)	,005	,002	,004	,000	,000	,000
	N	50	50	50	50	50	50
X1.10	Pearson Correlation	,467**	,484**	,473**	,484**	,495**	,521**
	Sig. (2-tailed)	,001	,000	,001	,000	,000	,000
	N	50	50	50	50	50	50
X1.11	Pearson Correlation	,302*	,520**	,363**	,425**	,423**	,371**
	Sig. (2-tailed)	,033	,000	,010	,002	,002	,008
	N	50	50	50	50	50	50
X1.12	Pearson Correlation	,422**	,417**	,501**	,589**	,595**	,605**
	Sig. (2-tailed)	,002	,003	,000	,000	,000	,000
	N	50	50	50	50	50	50
X1.13	Pearson Correlation	,271	,429**	,465**	,578**	,587**	,604**
	Sig. (2-tailed)	,057	,002	,001	,000	,000	,000
	N	50	50	50	50	50	50

**Correlations**

		X1.7	X1.8	X1.9	X1.10	X1.11	X1.12
X1.1	Pearson Correlation	,367**	,489**	,388**	,467**	,302*	,422**
	Sig. (2-tailed)	,009	,000	,005	,001	,033	,002
	N	50	50	50	50	50	50
X1.2	Pearson Correlation	,565**	,666**	,428**	,484**	,520**	,417**
	Sig. (2-tailed)	,000	,000	,002	,000	,000	,003
	N	50	50	50	50	50	50
X1.3	Pearson Correlation	,686**	,625**	,398**	,473**	,363**	,501**
	Sig. (2-tailed)	,000	,000	,004	,001	,010	,000
	N	50	50	50	50	50	50
X1.4	Pearson Correlation	,725**	,566**	,554**	,484**	,425**	,589**
	Sig. (2-tailed)	,000	,000	,000	,000	,002	,000
	N	50	50	50	50	50	50
X1.5	Pearson Correlation	,763**	,599**	,569**	,495**	,423**	,595**
	Sig. (2-tailed)	,000	,000	,000	,000	,002	,000
	N	50	50	50	50	50	50
X1.6	Pearson Correlation	,713**	,564**	,647**	,521**	,371**	,605**
	Sig. (2-tailed)	,000	,000	,000	,000	,008	,000
	N	50	50	50	50	50	50
X1.7	Pearson Correlation	1	,775**	,401**	,517**	,438**	,502**
	Sig. (2-tailed)		,000	,004	,000	,001	,000
	N	50	50	50	50	50	50
X1.8	Pearson Correlation	,775**	1	,436**	,537**	,561**	,466**
	Sig. (2-tailed)	,000		,002	,000	,000	,001
	N	50	50	50	50	50	50
X1.9	Pearson Correlation	,401**	,436**	1	,900**	,614**	,553**
	Sig. (2-tailed)	,004	,002		,000	,000	,000
	N	50	50	50	50	50	50
X1.10	Pearson Correlation	,517**	,537**	,900**	1	,680**	,460**
	Sig. (2-tailed)	,000	,000	,000		,000	,001
	N	50	50	50	50	50	50
X1.11	Pearson Correlation	,438**	,561**	,614**	,680**	1	,460**
	Sig. (2-tailed)	,001	,000	,000	,000		,001
	N	50	50	50	50	50	50
X1.12	Pearson Correlation	,502**	,466**	,553**	,460**	,460**	1
	Sig. (2-tailed)	,000	,001	,000	,001	,001	
	N	50	50	50	50	50	50
X1.13	Pearson Correlation	,560**	,510**	,305*	,253	,432**	,557**
	Sig. (2-tailed)	,000	,000	,031	,077	,002	,000
	N	50	50	50	50	50	50

**Correlations**

		X1.13	X1.14	X1.15	X1.16	X1.17	X1.18
X1.1	Pearson Correlation	,271	,291*	,360*	,272	,393**	,384**
	Sig. (2-tailed)	,057	,040	,010	,056	,005	,006
	N	50	50	50	50	50	50
X1.2	Pearson Correlation	,429**	,402**	,322*	,468**	,286*	,380**
	Sig. (2-tailed)	,002	,004	,023	,001	,044	,006
	N	50	50	50	50	50	50
X1.3	Pearson Correlation	,465**	,494**	,420**	,543**	,334*	,450**
	Sig. (2-tailed)	,001	,000	,002	,000	,018	,001
	N	50	50	50	50	50	50
X1.4	Pearson Correlation	,578**	,373**	,294*	,570**	,226	,307*
	Sig. (2-tailed)	,000	,008	,038	,000	,115	,030
	N	50	50	50	50	50	50
X1.5	Pearson Correlation	,587**	,460**	,285*	,502**	,277	,296*
	Sig. (2-tailed)	,000	,001	,045	,000	,052	,037
	N	50	50	50	50	50	50
X1.6	Pearson Correlation	,604**	,414**	,242	,537**	,299*	,248
	Sig. (2-tailed)	,000	,003	,090	,000	,035	,082
	N	50	50	50	50	50	50
X1.7	Pearson Correlation	,560**	,549**	,446**	,508**	,378**	,472**
	Sig. (2-tailed)	,000	,000	,001	,000	,007	,001
	N	50	50	50	50	50	50
X1.8	Pearson Correlation	,510**	,417**	,297*	,388**	,403**	,476**
	Sig. (2-tailed)	,000	,003	,037	,005	,004	,000
	N	50	50	50	50	50	50
X1.9	Pearson Correlation	,305*	,219	,131	,443**	,226	,321*
	Sig. (2-tailed)	,031	,126	,365	,001	,114	,023
	N	50	50	50	50	50	50
X1.10	Pearson Correlation	,253	,314*	,214	,377**	,253	,437**
	Sig. (2-tailed)	,077	,026	,135	,007	,077	,002
	N	50	50	50	50	50	50
X1.11	Pearson Correlation	,432**	,314*	,314*	,380**	,336*	,443**
	Sig. (2-tailed)	,002	,026	,026	,007	,017	,001
	N	50	50	50	50	50	50
X1.12	Pearson Correlation	,557**	,507**	,608**	,652**	,468**	,600**
	Sig. (2-tailed)	,000	,000	,000	,000	,001	,000
	N	50	50	50	50	50	50
X1.13	Pearson Correlation	1	,774**	,360*	,518**	,265	,278
	Sig. (2-tailed)		,000	,010	,000	,063	,051
	N	50	50	50	50	50	50

**Correlations**

		X1.19	X1.20	X1.21	Total_X1
X1.1	Pearson Correlation	,254	,216	,236	,614**
	Sig. (2-tailed)	,075	,131	,099	,000
	N	50	50	50	50
X1.2	Pearson Correlation	,076	,298*	,288*	,709**
	Sig. (2-tailed)	,600	,035	,042	,000
	N	50	50	50	50
X1.3	Pearson Correlation	,171	,398**	,456**	,792**
	Sig. (2-tailed)	,236	,004	,001	,000
	N	50	50	50	50
X1.4	Pearson Correlation	,157	,074	,464**	,768**
	Sig. (2-tailed)	,275	,612	,001	,000
	N	50	50	50	50
X1.5	Pearson Correlation	,213	,130	,378**	,774**
	Sig. (2-tailed)	,137	,369	,007	,000
	N	50	50	50	50
X1.6	Pearson Correlation	,248	,096	,445**	,779**
	Sig. (2-tailed)	,082	,509	,001	,000
	N	50	50	50	50
X1.7	Pearson Correlation	,182	,436**	,528**	,806**
	Sig. (2-tailed)	,206	,002	,000	,000
	N	50	50	50	50
X1.8	Pearson Correlation	,134	,290*	,291*	,741**
	Sig. (2-tailed)	,352	,041	,041	,000
	N	50	50	50	50
X1.9	Pearson Correlation	,321*	,148	,397**	,670**
	Sig. (2-tailed)	,023	,306	,004	,000
	N	50	50	50	50
X1.10	Pearson Correlation	,342*	,315*	,380**	,701**
	Sig. (2-tailed)	,015	,026	,006	,000
	N	50	50	50	50
X1.11	Pearson Correlation	,341*	,319*	,262	,645**
	Sig. (2-tailed)	,015	,024	,066	,000
	N	50	50	50	50
X1.12	Pearson Correlation	,505**	,224	,418**	,772**
	Sig. (2-tailed)	,000	,119	,003	,000
	N	50	50	50	50
X1.13	Pearson Correlation	,180	,268	,465**	,668**
	Sig. (2-tailed)	,211	,059	,001	,000
	N	50	50	50	50

**Correlations**

		X1.1	X1.2	X1.3	X1.4	X1.5	X1.6
X1.14	Pearson Correlation	,291 <sup>*</sup>	,402 <sup>**</sup>	,494 <sup>**</sup>	,373 <sup>**</sup>	,460 <sup>**</sup>	,414 <sup>**</sup>
	Sig. (2-tailed)	,040	,004	,000	,008	,001	,003
	N	50	50	50	50	50	50
X1.15	Pearson Correlation	,360 <sup>*</sup>	,322 <sup>*</sup>	,420 <sup>**</sup>	,294 <sup>*</sup>	,285 <sup>*</sup>	,242
	Sig. (2-tailed)	,010	,023	,002	,038	,045	,090
	N	50	50	50	50	50	50
X1.16	Pearson Correlation	,272	,468 <sup>**</sup>	,543 <sup>**</sup>	,570 <sup>**</sup>	,502 <sup>**</sup>	,537 <sup>**</sup>
	Sig. (2-tailed)	,056	,001	,000	,000	,000	,000
	N	50	50	50	50	50	50
X1.17	Pearson Correlation	,393 <sup>**</sup>	,286 <sup>*</sup>	,334 <sup>*</sup>	,226	,277	,299 <sup>*</sup>
	Sig. (2-tailed)	,005	,044	,018	,115	,052	,035
	N	50	50	50	50	50	50
X1.18	Pearson Correlation	,384 <sup>**</sup>	,380 <sup>**</sup>	,450 <sup>**</sup>	,307 <sup>*</sup>	,296 <sup>*</sup>	,248
	Sig. (2-tailed)	,006	,006	,001	,030	,037	,082
	N	50	50	50	50	50	50
X1.19	Pearson Correlation	,254	,076	,171	,157	,213	,248
	Sig. (2-tailed)	,075	,600	,236	,275	,137	,082
	N	50	50	50	50	50	50
X1.20	Pearson Correlation	,216	,298 <sup>*</sup>	,398 <sup>**</sup>	,074	,130	,096
	Sig. (2-tailed)	,131	,035	,004	,612	,369	,509
	N	50	50	50	50	50	50
X1.21	Pearson Correlation	,236	,288 <sup>*</sup>	,456 <sup>**</sup>	,464 <sup>**</sup>	,378 <sup>**</sup>	,445 <sup>**</sup>
	Sig. (2-tailed)	,099	,042	,001	,001	,007	,001
	N	50	50	50	50	50	50
Total_X1	Pearson Correlation	,614 <sup>**</sup>	,709 <sup>**</sup>	,792 <sup>**</sup>	,768 <sup>**</sup>	,774 <sup>**</sup>	,779 <sup>**</sup>
	Sig. (2-tailed)	,000	,000	,000	,000	,000	,000
	N	50	50	50	50	50	50

**Correlations**

		X1.7	X1.8	X1.9	X1.10	X1.11	X1.12
X1.14	Pearson Correlation	,549**	,417**	,219	,314*	,314*	,507**
	Sig. (2-tailed)	,000	,003	,126	,026	,026	,000
	N	50	50	50	50	50	50
X1.15	Pearson Correlation	,446**	,297*	,131	,214	,314*	,608**
	Sig. (2-tailed)	,001	,037	,365	,135	,026	,000
	N	50	50	50	50	50	50
X1.16	Pearson Correlation	,508**	,388**	,443**	,377**	,380**	,652**
	Sig. (2-tailed)	,000	,005	,001	,007	,007	,000
	N	50	50	50	50	50	50
X1.17	Pearson Correlation	,378**	,403**	,226	,253	,336*	,468**
	Sig. (2-tailed)	,007	,004	,114	,077	,017	,001
	N	50	50	50	50	50	50
X1.18	Pearson Correlation	,472**	,476**	,321*	,437**	,443**	,600**
	Sig. (2-tailed)	,001	,000	,023	,002	,001	,000
	N	50	50	50	50	50	50
X1.19	Pearson Correlation	,182	,134	,321*	,342*	,341*	,505**
	Sig. (2-tailed)	,206	,352	,023	,015	,015	,000
	N	50	50	50	50	50	50
X1.20	Pearson Correlation	,436**	,290*	,148	,315*	,319*	,224
	Sig. (2-tailed)	,002	,041	,306	,026	,024	,119
	N	50	50	50	50	50	50
X1.21	Pearson Correlation	,528**	,291*	,397**	,380**	,262	,418**
	Sig. (2-tailed)	,000	,041	,004	,006	,066	,003
	N	50	50	50	50	50	50
Total_X1	Pearson Correlation	,806**	,741**	,670**	,701**	,645**	,772**
	Sig. (2-tailed)	,000	,000	,000	,000	,000	,000
	N	50	50	50	50	50	50

**Correlations**

		X1.13	X1.14	X1.15	X1.16	X1.17	X1.18
X1.14	Pearson Correlation	,774**	1	,534**	,493**	,257	,456**
	Sig. (2-tailed)	,000		,000	,000	,072	,001
	N	50	50	50	50	50	50
X1.15	Pearson Correlation	,360*	,534**	1	,493**	,360*	,566**
	Sig. (2-tailed)	,010	,000		,000	,010	,000
	N	50	50	50	50	50	50
X1.16	Pearson Correlation	,518**	,493**	,493**	1	,518**	,628**
	Sig. (2-tailed)	,000	,000	,000		,000	,000
	N	50	50	50	50	50	50
X1.17	Pearson Correlation	,265	,257	,360*	,518**	1	,766**
	Sig. (2-tailed)	,063	,072	,010	,000		,000
	N	50	50	50	50	50	50
X1.18	Pearson Correlation	,278	,456**	,566**	,628**	,766**	1
	Sig. (2-tailed)	,051	,001	,000	,000	,000	
	N	50	50	50	50	50	50
X1.19	Pearson Correlation	,180	,236	,456**	,521**	,571**	,584**
	Sig. (2-tailed)	,211	,100	,001	,000	,000	,000
	N	50	50	50	50	50	50
X1.20	Pearson Correlation	,268	,518**	,410**	,482**	,460**	,551**
	Sig. (2-tailed)	,059	,000	,003	,000	,001	,000
	N	50	50	50	50	50	50
X1.21	Pearson Correlation	,465**	,481**	,342*	,583**	,341*	,418**
	Sig. (2-tailed)	,001	,000	,015	,000	,015	,003
	N	50	50	50	50	50	50
Total_X1	Pearson Correlation	,668**	,647**	,572**	,745**	,572**	,680**
	Sig. (2-tailed)	,000	,000	,000	,000	,000	,000
	N	50	50	50	50	50	50

### Correlations

		X1.19	X1.20	X1.21	Total_X1
X1.14	Pearson Correlation	,236	,518**	,481**	,647**
	Sig. (2-tailed)	,100	,000	,000	,000
	N	50	50	50	50
X1.15	Pearson Correlation	,456**	,410**	,342*	,572**
	Sig. (2-tailed)	,001	,003	,015	,000
	N	50	50	50	50
X1.16	Pearson Correlation	,521**	,482**	,583**	,745**
	Sig. (2-tailed)	,000	,000	,000	,000
	N	50	50	50	50
X1.17	Pearson Correlation	,571**	,460**	,341*	,572**
	Sig. (2-tailed)	,000	,001	,015	,000
	N	50	50	50	50
X1.18	Pearson Correlation	,584**	,551**	,418**	,680**
	Sig. (2-tailed)	,000	,000	,003	,000
	N	50	50	50	50
X1.19	Pearson Correlation	1	,449**	,418**	,488**
	Sig. (2-tailed)		,001	,003	,000
	N	50	50	50	50
X1.20	Pearson Correlation	,449**	1	,593**	,505**
	Sig. (2-tailed)	,001		,000	,000
	N	50	50	50	50
X1.21	Pearson Correlation	,418**	,593**	1	,620**
	Sig. (2-tailed)	,003	,000		,000
	N	50	50	50	50
Total_X1	Pearson Correlation	,488**	,505**	,620**	1
	Sig. (2-tailed)	,000	,000	,000	
	N	50	50	50	50

\*\* . Correlation is significant at the 0.01 level (2-tailed).

\* . Correlation is significant at the 0.05 level (2-tailed).

#### CORRELATIONS

```

/VARIABLES=X2.1 X2.2 X2.3 X2.4 X2.5 X2.6 X2.7 X2.8 X2.9 X2.10 X2.11 X2.12 X2
.13 X2.14 X2.15 X2.16 X2.17 X2.18 X2.19 X2.20 X2.21 Total_x2
/PRINT=TWOTAIL NOSIG
/MISSING=PAIRWISE.

```

### Correlations

**Notes**

Output Created		13-MAR-2023 10:55:24
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	50
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		CORRELATIONS /VARIABLES=X2.1 X2.2 X2.3 X2.4 X2.5 X2.6 X2.7 X2.8 X2.9 X2.10 X2. 11 X2.12 X2.13 X2.14 X2.15 X2.16 X2.17 X2.18 X2.19 X2.20 X2.21 Total_X2 /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00,08
	Elapsed Time	00:00:00,11

**Correlations**

		X2.1	X2.2	X2.3	X2.4	X2.5	X2.6
X2.1	Pearson Correlation	1	,937**	,578**	,362**	,433**	,366**
	Sig. (2-tailed)		,000	,000	,010	,002	,009
	N	50	50	50	50	50	50
X2.2	Pearson Correlation	,937**	1	,583**	,275	,383**	,304*
	Sig. (2-tailed)	,000		,000	,054	,006	,032
	N	50	50	50	50	50	50
X2.3	Pearson Correlation	,578**	,583**	1	,666**	,540**	,638**
	Sig. (2-tailed)	,000	,000		,000	,000	,000
	N	50	50	50	50	50	50
X2.4	Pearson Correlation	,362**	,275	,666**	1	,596**	,596**
	Sig. (2-tailed)	,010	,054	,000		,000	,000
	N	50	50	50	50	50	50
X2.5	Pearson Correlation	,433**	,383**	,540**	,596**	1	,748**
	Sig. (2-tailed)	,002	,006	,000	,000		,000
	N	50	50	50	50	50	50
X2.6	Pearson Correlation	,366**	,304*	,638**	,596**	,748**	1
	Sig. (2-tailed)	,009	,032	,000	,000	,000	
	N	50	50	50	50	50	50
X2.7	Pearson Correlation	,112	,137	,385**	,596**	,457**	,484**
	Sig. (2-tailed)	,441	,342	,006	,000	,001	,000
	N	50	50	50	50	50	50
X2.8	Pearson Correlation	,050	,172	,352*	,349*	,572**	,387**
	Sig. (2-tailed)	,729	,232	,012	,013	,000	,006
	N	50	50	50	50	50	50
X2.9	Pearson Correlation	,213	,184	,142	,330*	,525**	,254
	Sig. (2-tailed)	,138	,201	,325	,019	,000	,075
	N	50	50	50	50	50	50
X2.10	Pearson Correlation	-,023	-,006	,158	,398**	,473**	,229
	Sig. (2-tailed)	,872	,967	,275	,004	,001	,110
	N	50	50	50	50	50	50
X2.11	Pearson Correlation	,262	,233	,232	,365**	,405**	,286*
	Sig. (2-tailed)	,066	,104	,106	,009	,003	,044
	N	50	50	50	50	50	50
X2.12	Pearson Correlation	,244	,203	,340*	,530**	,475**	,327*
	Sig. (2-tailed)	,087	,157	,016	,000	,000	,020
	N	50	50	50	50	50	50
X2.13	Pearson Correlation	,104	,208	,207	,231	,528**	,096
	Sig. (2-tailed)	,472	,147	,149	,107	,000	,508
	N	50	50	50	50	50	50

**Correlations**

		X2.7	X2.8	X2.9	X2.10	X2.11	X2.12
X2.1	Pearson Correlation	,112	,050	,213	-,023	,262	,244
	Sig. (2-tailed)	,441	,729	,138	,872	,066	,087
	N	50	50	50	50	50	50
X2.2	Pearson Correlation	,137	,172	,184	-,006	,233	,203
	Sig. (2-tailed)	,342	,232	,201	,967	,104	,157
	N	50	50	50	50	50	50
X2.3	Pearson Correlation	,385**	,352*	,142	,158	,232	,340*
	Sig. (2-tailed)	,006	,012	,325	,275	,106	,016
	N	50	50	50	50	50	50
X2.4	Pearson Correlation	,596**	,349*	,330*	,398**	,365**	,530**
	Sig. (2-tailed)	,000	,013	,019	,004	,009	,000
	N	50	50	50	50	50	50
X2.5	Pearson Correlation	,457**	,572**	,525**	,473**	,405**	,475**
	Sig. (2-tailed)	,001	,000	,000	,001	,003	,000
	N	50	50	50	50	50	50
X2.6	Pearson Correlation	,484**	,387**	,254	,229	,286*	,327*
	Sig. (2-tailed)	,000	,006	,075	,110	,044	,020
	N	50	50	50	50	50	50
X2.7	Pearson Correlation	1	,572**	,525**	,473**	,405**	,475**
	Sig. (2-tailed)		,000	,000	,001	,003	,000
	N	50	50	50	50	50	50
X2.8	Pearson Correlation	,572**	1	,657**	,592**	,277	,510**
	Sig. (2-tailed)	,000		,000	,000	,052	,000
	N	50	50	50	50	50	50
X2.9	Pearson Correlation	,525**	,657**	1	,797**	,539**	,649**
	Sig. (2-tailed)	,000	,000		,000	,000	,000
	N	50	50	50	50	50	50
X2.10	Pearson Correlation	,473**	,592**	,797**	1	,468**	,578**
	Sig. (2-tailed)	,001	,000	,000		,001	,000
	N	50	50	50	50	50	50
X2.11	Pearson Correlation	,405**	,277	,539**	,468**	1	,736**
	Sig. (2-tailed)	,003	,052	,000	,001		,000
	N	50	50	50	50	50	50
X2.12	Pearson Correlation	,475**	,510**	,649**	,578**	,736**	1
	Sig. (2-tailed)	,000	,000	,000	,000	,000	
	N	50	50	50	50	50	50
X2.13	Pearson Correlation	,363**	,798**	,691**	,618**	,447**	,659**
	Sig. (2-tailed)	,010	,000	,000	,000	,001	,000
	N	50	50	50	50	50	50

**Correlations**

		X2.13	X2.14	X2.15	X2.16	X2.17	X2.18
X2.1	Pearson Correlation	,104	,262	,262	,262	,020	,092
	Sig. (2-tailed)	,472	,066	,066	,066	,889	,526
	N	50	50	50	50	50	50
X2.2	Pearson Correlation	,208	,209	,111	,111	-,064	,194
	Sig. (2-tailed)	,147	,145	,445	,445	,658	,178
	N	50	50	50	50	50	50
X2.3	Pearson Correlation	,207	,435**	,435**	,435**	,239	,163
	Sig. (2-tailed)	,149	,002	,002	,002	,095	,257
	N	50	50	50	50	50	50
X2.4	Pearson Correlation	,231	,607**	,607**	,607**	,338*	,177
	Sig. (2-tailed)	,107	,000	,000	,000	,016	,218
	N	50	50	50	50	50	50
X2.5	Pearson Correlation	,528**	,805**	,586**	,586**	,379**	,465**
	Sig. (2-tailed)	,000	,000	,000	,000	,007	,001
	N	50	50	50	50	50	50
X2.6	Pearson Correlation	,096	,602**	,602**	,602**	,375**	,139
	Sig. (2-tailed)	,508	,000	,000	,000	,007	,337
	N	50	50	50	50	50	50
X2.7	Pearson Correlation	,363**	,586**	,367**	,367**	-,016	,107
	Sig. (2-tailed)	,010	,000	,009	,009	,913	,458
	N	50	50	50	50	50	50
X2.8	Pearson Correlation	,798**	,643**	,278	,278	-,020	,358*
	Sig. (2-tailed)	,000	,000	,051	,051	,892	,011
	N	50	50	50	50	50	50
X2.9	Pearson Correlation	,691**	,561**	,283*	,283*	,095	,204
	Sig. (2-tailed)	,000	,000	,046	,046	,511	,154
	N	50	50	50	50	50	50
X2.10	Pearson Correlation	,618**	,381**	,248	,248	,205	,173
	Sig. (2-tailed)	,000	,006	,082	,082	,153	,230
	N	50	50	50	50	50	50
X2.11	Pearson Correlation	,447**	,475**	,475**	,475**	,375**	,485**
	Sig. (2-tailed)	,001	,000	,000	,000	,007	,000
	N	50	50	50	50	50	50
X2.12	Pearson Correlation	,659**	,544**	,382**	,382**	,415**	,423**
	Sig. (2-tailed)	,000	,000	,006	,006	,003	,002
	N	50	50	50	50	50	50
X2.13	Pearson Correlation	1	,557**	,159	,159	,096	,542**
	Sig. (2-tailed)		,000	,269	,269	,508	,000
	N	50	50	50	50	50	50

**Correlations**

		X2.19	X2.20	X2.21	Total_X2
X2.1	Pearson Correlation	,271	,341*	,502**	,586**
	Sig. (2-tailed)	,057	,015	,000	,000
	N	50	50	50	50
X2.2	Pearson Correlation	,321*	,398**	,475**	,566**
	Sig. (2-tailed)	,023	,004	,000	,000
	N	50	50	50	50
X2.3	Pearson Correlation	,300*	,418**	,476**	,693**
	Sig. (2-tailed)	,034	,002	,000	,000
	N	50	50	50	50
X2.4	Pearson Correlation	,297*	,329*	,276	,723**
	Sig. (2-tailed)	,036	,019	,052	,000
	N	50	50	50	50
X2.5	Pearson Correlation	,487**	,546**	,157	,833**
	Sig. (2-tailed)	,000	,000	,277	,000
	N	50	50	50	50
X2.6	Pearson Correlation	,329*	,565**	,248	,670**
	Sig. (2-tailed)	,019	,000	,082	,000
	N	50	50	50	50
X2.7	Pearson Correlation	,100	,236	-,021	,558**
	Sig. (2-tailed)	,488	,099	,883	,000
	N	50	50	50	50
X2.8	Pearson Correlation	,206	,425**	-,250	,596**
	Sig. (2-tailed)	,150	,002	,080	,000
	N	50	50	50	50
X2.9	Pearson Correlation	,069	,252	-,041	,622**
	Sig. (2-tailed)	,635	,077	,779	,000
	N	50	50	50	50
X2.10	Pearson Correlation	,154	,218	,009	,545**
	Sig. (2-tailed)	,285	,129	,953	,000
	N	50	50	50	50
X2.11	Pearson Correlation	,498**	,505**	,145	,686**
	Sig. (2-tailed)	,000	,000	,316	,000
	N	50	50	50	50
X2.12	Pearson Correlation	,435**	,349*	-,032	,729**
	Sig. (2-tailed)	,002	,013	,828	,000
	N	50	50	50	50
X2.13	Pearson Correlation	,328*	,264	-,194	,596**
	Sig. (2-tailed)	,020	,064	,176	,000
	N	50	50	50	50

**Correlations**

		X2.1	X2.2	X2.3	X2.4	X2.5	X2.6
X2.14	Pearson Correlation	,262	,209	,435**	,607**	,805**	,602**
	Sig. (2-tailed)	,066	,145	,002	,000	,000	,000
	N	50	50	50	50	50	50
X2.15	Pearson Correlation	,262	,111	,435**	,607**	,586**	,602**
	Sig. (2-tailed)	,066	,445	,002	,000	,000	,000
	N	50	50	50	50	50	50
X2.16	Pearson Correlation	,262	,111	,435**	,607**	,586**	,602**
	Sig. (2-tailed)	,066	,445	,002	,000	,000	,000
	N	50	50	50	50	50	50
X2.17	Pearson Correlation	,020	-,064	,239	,338*	,379**	,375**
	Sig. (2-tailed)	,889	,658	,095	,016	,007	,007
	N	50	50	50	50	50	50
X2.18	Pearson Correlation	,092	,194	,163	,177	,465**	,139
	Sig. (2-tailed)	,526	,178	,257	,218	,001	,337
	N	50	50	50	50	50	50
X2.19	Pearson Correlation	,271	,321*	,300*	,297*	,487**	,329*
	Sig. (2-tailed)	,057	,023	,034	,036	,000	,019
	N	50	50	50	50	50	50
X2.20	Pearson Correlation	,341*	,398**	,418**	,329*	,546**	,565**
	Sig. (2-tailed)	,015	,004	,002	,019	,000	,000
	N	50	50	50	50	50	50
X2.21	Pearson Correlation	,502**	,475**	,476**	,276	,157	,248
	Sig. (2-tailed)	,000	,000	,000	,052	,277	,082
	N	50	50	50	50	50	50
Total_X2	Pearson Correlation	,586**	,566**	,693**	,723**	,833**	,670**
	Sig. (2-tailed)	,000	,000	,000	,000	,000	,000
	N	50	50	50	50	50	50

**Correlations**

		X2.7	X2.8	X2.9	X2.10	X2.11	X2.12
X2.14	Pearson Correlation	,586**	,643**	,561**	,381**	,475**	,544**
	Sig. (2-tailed)	,000	,000	,000	,006	,000	,000
	N	50	50	50	50	50	50
X2.15	Pearson Correlation	,367**	,278	,283*	,248	,475**	,382**
	Sig. (2-tailed)	,009	,051	,046	,082	,000	,006
	N	50	50	50	50	50	50
X2.16	Pearson Correlation	,367**	,278	,283*	,248	,475**	,382**
	Sig. (2-tailed)	,009	,051	,046	,082	,000	,006
	N	50	50	50	50	50	50
X2.17	Pearson Correlation	-,016	-,020	,095	,205	,375**	,415**
	Sig. (2-tailed)	,913	,892	,511	,153	,007	,003
	N	50	50	50	50	50	50
X2.18	Pearson Correlation	,107	,358*	,204	,173	,485**	,423**
	Sig. (2-tailed)	,458	,011	,154	,230	,000	,002
	N	50	50	50	50	50	50
X2.19	Pearson Correlation	,100	,206	,069	,154	,498**	,435**
	Sig. (2-tailed)	,488	,150	,635	,285	,000	,002
	N	50	50	50	50	50	50
X2.20	Pearson Correlation	,236	,425**	,252	,218	,505**	,349*
	Sig. (2-tailed)	,099	,002	,077	,129	,000	,013
	N	50	50	50	50	50	50
X2.21	Pearson Correlation	-,021	-,250	-,041	,009	,145	-,032
	Sig. (2-tailed)	,883	,080	,779	,953	,316	,828
	N	50	50	50	50	50	50
Total_X2	Pearson Correlation	,558**	,596**	,622**	,545**	,686**	,729**
	Sig. (2-tailed)	,000	,000	,000	,000	,000	,000
	N	50	50	50	50	50	50

**Correlations**

		X2.13	X2.14	X2.15	X2.16	X2.17	X2.18
X2.14	Pearson Correlation	,557**	1	,648**	,648**	,464**	,518**
	Sig. (2-tailed)	,000		,000	,000	,001	,000
	N	50	50	50	50	50	50
X2.15	Pearson Correlation	,159	,648**	1	1,000**	,464**	,230
	Sig. (2-tailed)	,269	,000		,000	,001	,108
	N	50	50	50	50	50	50
X2.16	Pearson Correlation	,159	,648**	1,000**	1	,464**	,230
	Sig. (2-tailed)	,269	,000	,000		,001	,108
	N	50	50	50	50	50	50
X2.17	Pearson Correlation	,096	,464**	,464**	,464**	1	,376**
	Sig. (2-tailed)	,508	,001	,001	,001		,007
	N	50	50	50	50	50	50
X2.18	Pearson Correlation	,542**	,518**	,230	,230	,376**	1
	Sig. (2-tailed)	,000	,000	,108	,108	,007	
	N	50	50	50	50	50	50
X2.19	Pearson Correlation	,328*	,392**	,392**	,392**	,404**	,814**
	Sig. (2-tailed)	,020	,005	,005	,005	,004	,000
	N	50	50	50	50	50	50
X2.20	Pearson Correlation	,264	,440**	,440**	,440**	,212	,551**
	Sig. (2-tailed)	,064	,001	,001	,001	,140	,000
	N	50	50	50	50	50	50
X2.21	Pearson Correlation	-,194	-,017	,126	,126	,158	,012
	Sig. (2-tailed)	,176	,906	,383	,383	,274	,936
	N	50	50	50	50	50	50
Total_X2	Pearson Correlation	,596**	,787**	,659**	,659**	,430**	,538**
	Sig. (2-tailed)	,000	,000	,000	,000	,002	,000
	N	50	50	50	50	50	50

### Correlations

		X2.19	X2.20	X2.21	Total_X2
X2.14	Pearson Correlation	,392**	,440**	-,017	,787**
	Sig. (2-tailed)	,005	,001	,906	,000
	N	50	50	50	50
X2.15	Pearson Correlation	,392**	,440**	,126	,659**
	Sig. (2-tailed)	,005	,001	,383	,000
	N	50	50	50	50
X2.16	Pearson Correlation	,392**	,440**	,126	,659**
	Sig. (2-tailed)	,005	,001	,383	,000
	N	50	50	50	50
X2.17	Pearson Correlation	,404**	,212	,158	,430**
	Sig. (2-tailed)	,004	,140	,274	,002
	N	50	50	50	50
X2.18	Pearson Correlation	,814**	,551**	,012	,538**
	Sig. (2-tailed)	,000	,000	,936	,000
	N	50	50	50	50
X2.19	Pearson Correlation	1	,583**	,167	,600**
	Sig. (2-tailed)		,000	,246	,000
	N	50	50	50	50
X2.20	Pearson Correlation	,583**	1	,134	,639**
	Sig. (2-tailed)	,000		,353	,000
	N	50	50	50	50
X2.21	Pearson Correlation	,167	,134	1	,316*
	Sig. (2-tailed)	,246	,353		,025
	N	50	50	50	50
Total_X2	Pearson Correlation	,600**	,639**	,316*	1
	Sig. (2-tailed)	,000	,000	,025	
	N	50	50	50	50

\*\* . Correlation is significant at the 0.01 level (2-tailed).

\* . Correlation is significant at the 0.05 level (2-tailed).

#### CORRELATIONS

```

/VARIABLES=Y.1 Y.2 Y.3 Y.4 Y.5 Y.6 Y.7 Y.8 Y.9 Y.10 Y.11 Y.12 Y.13 Y.14 Y.15
Y.16 Y.17 Y.18 Y.19 Y.20 Y.21 Y.22 Total_Y
/PRINT=TWOTAIL NOSIG
/MISSING=PAIRWISE.

```

### Correlations

**Notes**

Output Created	13-MAR-2023 11:56:10	
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	50
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	CORRELATIONS /VARIABLES=Y.1 Y.2 Y.3 Y.4 Y.5 Y.6 Y.7 Y.8 Y.9 Y.10 Y.11 Y.12 Y.13 Y.14 Y.15 Y.16 Y.17 Y.18 Y.19 Y.20 Y.21 Y.22 Total_Y /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.	
Resources	Processor Time	00:00:00,03
	Elapsed Time	00:00:00,04

**Correlations**

		Y.1	Y.2	Y.3	Y.4	Y.5	Y.6
Y.1	Pearson Correlation	1	,569**	,240	,219	,131	,647**
	Sig. (2-tailed)		,000	,094	,126	,365	,000
	N	50	50	50	50	50	50
Y.2	Pearson Correlation	,569**	1	,144	,460**	,285*	,938**
	Sig. (2-tailed)	,000		,318	,001	,045	,000
	N	50	50	50	50	50	50
Y.3	Pearson Correlation	,240	,144	1	,042	,106	,147
	Sig. (2-tailed)	,094	,318		,772	,466	,308
	N	50	50	50	50	50	50
Y.4	Pearson Correlation	,219	,460**	,042	1	,534**	,414**
	Sig. (2-tailed)	,126	,001	,772		,000	,003
	N	50	50	50	50	50	50
Y.5	Pearson Correlation	,131	,285*	,106	,534**	1	,242
	Sig. (2-tailed)	,365	,045	,466	,000		,090
	N	50	50	50	50	50	50
Y.6	Pearson Correlation	,647**	,938**	,147	,414**	,242	1
	Sig. (2-tailed)	,000	,000	,308	,003	,090	
	N	50	50	50	50	50	50

**Correlations**

		Y.7	Y.8	Y.9	Y.10	Y.11	Y.12
Y.1	Pearson Correlation	,097	,347*	1,000**	,900**	,614**	,553**
	Sig. (2-tailed)	,501	,013	,000	,000	,000	,000
	N	50	50	50	50	50	50
Y.2	Pearson Correlation	,086	,219	,569**	,495**	,423**	,595**
	Sig. (2-tailed)	,555	,127	,000	,000	,002	,000
	N	50	50	50	50	50	50
Y.3	Pearson Correlation	-,171	,029	,240	,261	,284*	,224
	Sig. (2-tailed)	,235	,841	,094	,067	,046	,118
	N	50	50	50	50	50	50
Y.4	Pearson Correlation	,555**	,250	,219	,314*	,314*	,507**
	Sig. (2-tailed)	,000	,080	,126	,026	,026	,000
	N	50	50	50	50	50	50
Y.5	Pearson Correlation	,377**	,250	,131	,214	,314*	,608**
	Sig. (2-tailed)	,007	,080	,365	,135	,026	,000
	N	50	50	50	50	50	50
Y.6	Pearson Correlation	,063	,188	,647**	,521**	,371**	,605**
	Sig. (2-tailed)	,664	,190	,000	,000	,008	,000
	N	50	50	50	50	50	50

**Correlations**

		Y.13	Y.14	Y.15	Y.16	Y.17	Y.18
Y.1	Pearson Correlation	-,019	,318*	,041	,232	,202	,347*
	Sig. (2-tailed)	,894	,024	,776	,105	,159	,013
	N	50	50	50	50	50	50
Y.2	Pearson Correlation	,075	,063	,135	,270	,010	,219
	Sig. (2-tailed)	,606	,663	,350	,058	,944	,127
	N	50	50	50	50	50	50
Y.3	Pearson Correlation	,364**	,174	,021	,035	,253	,029
	Sig. (2-tailed)	,009	,227	,887	,810	,076	,841
	N	50	50	50	50	50	50
Y.4	Pearson Correlation	,392**	,037	,315*	-,139	-,037	,250
	Sig. (2-tailed)	,005	,798	,026	,336	,798	,080
	N	50	50	50	50	50	50
Y.5	Pearson Correlation	,334*	,037	-,040	,032	,158	,250
	Sig. (2-tailed)	,018	,798	,781	,826	,272	,080
	N	50	50	50	50	50	50
Y.6	Pearson Correlation	,044	,146	,099	,178	-,001	,188
	Sig. (2-tailed)	,759	,313	,492	,216	,992	,190
	N	50	50	50	50	50	50

**Correlations**

		Y.19	Y.20	Y.21	Y.22	Total_Y
Y.1	Pearson Correlation	,235	,292 <sup>*</sup>	,218	,148	,751 <sup>**</sup>
	Sig. (2-tailed)	,101	,040	,129	,306	,000
	N	50	50	50	50	50
Y.2	Pearson Correlation	,219	,274	,194	,130	,681 <sup>**</sup>
	Sig. (2-tailed)	,127	,054	,176	,369	,000
	N	50	50	50	50	50
Y.3	Pearson Correlation	,191	,260	,205	,035	,439 <sup>**</sup>
	Sig. (2-tailed)	,183	,069	,153	,807	,001
	N	50	50	50	50	50
Y.4	Pearson Correlation	,101	,342 <sup>*</sup>	-,013	,518 <sup>**</sup>	,554 <sup>**</sup>
	Sig. (2-tailed)	,485	,015	,928	,000	,000
	N	50	50	50	50	50
Y.5	Pearson Correlation	,101	,342 <sup>*</sup>	,353 <sup>*</sup>	,410 <sup>**</sup>	,519 <sup>**</sup>
	Sig. (2-tailed)	,485	,015	,012	,003	,000
	N	50	50	50	50	50
Y.6	Pearson Correlation	,188	,240	,312 <sup>*</sup>	,096	,674 <sup>**</sup>
	Sig. (2-tailed)	,190	,093	,028	,509	,000
	N	50	50	50	50	50

**Correlations**

		Y.1	Y.2	Y.3	Y.4	Y.5	Y.6
Y.7	Pearson Correlation	,097	,086	-,171	,555**	,377**	,063
	Sig. (2-tailed)	,501	,555	,235	,000	,007	,664
	N	50	50	50	50	50	50
Y.8	Pearson Correlation	,347*	,219	,029	,250	,250	,188
	Sig. (2-tailed)	,013	,127	,841	,080	,080	,190
	N	50	50	50	50	50	50
Y.9	Pearson Correlation	1,000**	,569**	,240	,219	,131	,647**
	Sig. (2-tailed)	,000	,000	,094	,126	,365	,000
	N	50	50	50	50	50	50
Y.10	Pearson Correlation	,900**	,495**	,261	,314*	,214	,521**
	Sig. (2-tailed)	,000	,000	,067	,026	,135	,000
	N	50	50	50	50	50	50
Y.11	Pearson Correlation	,614**	,423**	,284*	,314*	,314*	,371**
	Sig. (2-tailed)	,000	,002	,046	,026	,026	,008
	N	50	50	50	50	50	50
Y.12	Pearson Correlation	,553**	,595**	,224	,507**	,608**	,605**
	Sig. (2-tailed)	,000	,000	,118	,000	,000	,000
	N	50	50	50	50	50	50
Y.13	Pearson Correlation	-,019	,075	,364**	,392**	,334*	,044
	Sig. (2-tailed)	,894	,606	,009	,005	,018	,759
	N	50	50	50	50	50	50
Y.14	Pearson Correlation	,318*	,063	,174	,037	,037	,146
	Sig. (2-tailed)	,024	,663	,227	,798	,798	,313
	N	50	50	50	50	50	50
Y.15	Pearson Correlation	,041	,135	,021	,315*	-,040	,099
	Sig. (2-tailed)	,776	,350	,887	,026	,781	,492
	N	50	50	50	50	50	50
Y.16	Pearson Correlation	,232	,270	,035	-,139	,032	,178
	Sig. (2-tailed)	,105	,058	,810	,336	,826	,216
	N	50	50	50	50	50	50
Y.17	Pearson Correlation	,202	,010	,253	-,037	,158	-,001
	Sig. (2-tailed)	,159	,944	,076	,798	,272	,992
	N	50	50	50	50	50	50
Y.18	Pearson Correlation	,347*	,219	,029	,250	,250	,188
	Sig. (2-tailed)	,013	,127	,841	,080	,080	,190
	N	50	50	50	50	50	50
Y.19	Pearson Correlation	,235	,219	,191	,101	,101	,188
	Sig. (2-tailed)	,101	,127	,183	,485	,485	,190
	N	50	50	50	50	50	50

**Correlations**

		Y.7	Y.8	Y.9	Y.10	Y.11	Y.12
Y.7	Pearson Correlation	1	,572**	,097	,147	,309*	,240
	Sig. (2-tailed)		,000	,501	,309	,029	,094
	N	50	50	50	50	50	50
Y.8	Pearson Correlation	,572**	1	,347*	,312*	,455**	,236
	Sig. (2-tailed)	,000		,013	,028	,001	,099
	N	50	50	50	50	50	50
Y.9	Pearson Correlation	,097	,347*	1	,900**	,614**	,553**
	Sig. (2-tailed)	,501	,013		,000	,000	,000
	N	50	50	50	50	50	50
Y.10	Pearson Correlation	,147	,312*	,900**	1	,680**	,460**
	Sig. (2-tailed)	,309	,028	,000		,000	,001
	N	50	50	50	50	50	50
Y.11	Pearson Correlation	,309*	,455**	,614**	,680**	1	,460**
	Sig. (2-tailed)	,029	,001	,000	,000		,001
	N	50	50	50	50	50	50
Y.12	Pearson Correlation	,240	,236	,553**	,460**	,460**	1
	Sig. (2-tailed)	,094	,099	,000	,001	,001	
	N	50	50	50	50	50	50
Y.13	Pearson Correlation	,145	-,077	-,019	,104	,227	,194
	Sig. (2-tailed)	,315	,596	,894	,474	,113	,177
	N	50	50	50	50	50	50
Y.14	Pearson Correlation	-,102	,060	,318*	,298*	,282*	,037
	Sig. (2-tailed)	,483	,680	,024	,036	,048	,798
	N	50	50	50	50	50	50
Y.15	Pearson Correlation	,134	-,172	,041	,130	,256	,008
	Sig. (2-tailed)	,354	,232	,776	,368	,073	,955
	N	50	50	50	50	50	50
Y.16	Pearson Correlation	-,101	,055	,232	,219	,338*	,161
	Sig. (2-tailed)	,486	,703	,105	,126	,016	,263
	N	50	50	50	50	50	50
Y.17	Pearson Correlation	-,048	-,060	,202	,207	,260	,132
	Sig. (2-tailed)	,742	,680	,159	,150	,068	,362
	N	50	50	50	50	50	50
Y.18	Pearson Correlation	,572**	1,000**	,347*	,312*	,455**	,236
	Sig. (2-tailed)	,000	,000	,013	,028	,001	,099
	N	50	50	50	50	50	50
Y.19	Pearson Correlation	,118	,242	,235	,184	,181	,236
	Sig. (2-tailed)	,415	,090	,101	,201	,209	,099
	N	50	50	50	50	50	50

**Correlations**

		Y.13	Y.14	Y.15	Y.16	Y.17	Y.18
Y.7	Pearson Correlation	,145	-,102	,134	-,101	-,048	,572**
	Sig. (2-tailed)	,315	,483	,354	,486	,742	,000
	N	50	50	50	50	50	50
Y.8	Pearson Correlation	-,077	,060	-,172	,055	-,060	1,000**
	Sig. (2-tailed)	,596	,680	,232	,703	,680	,000
	N	50	50	50	50	50	50
Y.9	Pearson Correlation	-,019	,318*	,041	,232	,202	,347*
	Sig. (2-tailed)	,894	,024	,776	,105	,159	,013
	N	50	50	50	50	50	50
Y.10	Pearson Correlation	,104	,298*	,130	,219	,207	,312*
	Sig. (2-tailed)	,474	,036	,368	,126	,150	,028
	N	50	50	50	50	50	50
Y.11	Pearson Correlation	,227	,282*	,256	,338*	,260	,455**
	Sig. (2-tailed)	,113	,048	,073	,016	,068	,001
	N	50	50	50	50	50	50
Y.12	Pearson Correlation	,194	,037	,008	,161	,132	,236
	Sig. (2-tailed)	,177	,798	,955	,263	,362	,099
	N	50	50	50	50	50	50
Y.13	Pearson Correlation	1	,163	,178	-,048	,226	-,077
	Sig. (2-tailed)		,257	,217	,743	,115	,596
	N	50	50	50	50	50	50
Y.14	Pearson Correlation	,163	1	-,123	,103	,232	,060
	Sig. (2-tailed)	,257		,394	,475	,106	,680
	N	50	50	50	50	50	50
Y.15	Pearson Correlation	,178	-,123	1	,209	-,075	-,172
	Sig. (2-tailed)	,217	,394		,144	,602	,232
	N	50	50	50	50	50	50
Y.16	Pearson Correlation	-,048	,103	,209	1	,184	,055
	Sig. (2-tailed)	,743	,475	,144		,202	,703
	N	50	50	50	50	50	50
Y.17	Pearson Correlation	,226	,232	-,075	,184	1	-,060
	Sig. (2-tailed)	,115	,106	,602	,202		,680
	N	50	50	50	50	50	50
Y.18	Pearson Correlation	-,077	,060	-,172	,055	-,060	1
	Sig. (2-tailed)	,596	,680	,232	,703	,680	
	N	50	50	50	50	50	50
Y.19	Pearson Correlation	-,003	-,190	,054	-,090	,065	,242
	Sig. (2-tailed)	,984	,187	,708	,534	,655	,090
	N	50	50	50	50	50	50

**Correlations**

		Y.19	Y.20	Y.21	Y.22	Total_Y
Y.7	Pearson Correlation	,118	,093	-,058	,363**	,302*
	Sig. (2-tailed)	,415	,518	,689	,010	,033
	N	50	50	50	50	50
Y.8	Pearson Correlation	,242	,206	,067	,248	,405**
	Sig. (2-tailed)	,090	,152	,643	,083	,004
	N	50	50	50	50	50
Y.9	Pearson Correlation	,235	,292*	,218	,148	,751**
	Sig. (2-tailed)	,101	,040	,129	,306	,000
	N	50	50	50	50	50
Y.10	Pearson Correlation	,184	,380**	,067	,315*	,758**
	Sig. (2-tailed)	,201	,006	,646	,026	,000
	N	50	50	50	50	50
Y.11	Pearson Correlation	,181	,390**	,046	,319*	,770**
	Sig. (2-tailed)	,209	,005	,752	,024	,000
	N	50	50	50	50	50
Y.12	Pearson Correlation	,236	,298*	,326*	,224	,703**
	Sig. (2-tailed)	,099	,036	,021	,119	,000
	N	50	50	50	50	50
Y.13	Pearson Correlation	-,003	,216	,038	,193	,390**
	Sig. (2-tailed)	,984	,132	,794	,179	,005
	N	50	50	50	50	50
Y.14	Pearson Correlation	-,190	,007	,063	-,109	,286*
	Sig. (2-tailed)	,187	,961	,666	,452	,044
	N	50	50	50	50	50
Y.15	Pearson Correlation	,054	,130	-,064	,230	,284*
	Sig. (2-tailed)	,708	,368	,659	,108	,046
	N	50	50	50	50	50
Y.16	Pearson Correlation	-,090	-,087	-,027	-,021	,334*
	Sig. (2-tailed)	,534	,548	,851	,884	,018
	N	50	50	50	50	50
Y.17	Pearson Correlation	,065	,110	,244	-,072	,319*
	Sig. (2-tailed)	,655	,448	,087	,617	,024
	N	50	50	50	50	50
Y.18	Pearson Correlation	,242	,206	,067	,248	,405**
	Sig. (2-tailed)	,090	,152	,643	,083	,004
	N	50	50	50	50	50
Y.19	Pearson Correlation	1	,738**	,067	,248	,328*
	Sig. (2-tailed)		,000	,643	,083	,020
	N	50	50	50	50	50

**Correlations**

		Y.1	Y.2	Y.3	Y.4	Y.5	Y.6
Y.20	Pearson Correlation	,292 <sup>*</sup>	,274	,260	,342 <sup>*</sup>	,342 <sup>*</sup>	,240
	Sig. (2-tailed)	,040	,054	,069	,015	,015	,093
	N	50	50	50	50	50	50
Y.21	Pearson Correlation	,218	,194	,205	-,013	,353 <sup>*</sup>	,312 <sup>*</sup>
	Sig. (2-tailed)	,129	,176	,153	,928	,012	,028
	N	50	50	50	50	50	50
Y.22	Pearson Correlation	,148	,130	,035	,518 <sup>**</sup>	,410 <sup>**</sup>	,096
	Sig. (2-tailed)	,306	,369	,807	,000	,003	,509
	N	50	50	50	50	50	50
Total_Y	Pearson Correlation	,751 <sup>**</sup>	,681 <sup>**</sup>	,439 <sup>**</sup>	,554 <sup>**</sup>	,519 <sup>**</sup>	,674 <sup>**</sup>
	Sig. (2-tailed)	,000	,000	,001	,000	,000	,000
	N	50	50	50	50	50	50

**Correlations**

		Y.7	Y.8	Y.9	Y.10	Y.11	Y.12
Y.20	Pearson Correlation	,093	,206	,292 <sup>*</sup>	,380 <sup>**</sup>	,390 <sup>**</sup>	,298 <sup>*</sup>
	Sig. (2-tailed)	,518	,152	,040	,006	,005	,036
	N	50	50	50	50	50	50
Y.21	Pearson Correlation	-,058	,067	,218	,067	,046	,326 <sup>*</sup>
	Sig. (2-tailed)	,689	,643	,129	,646	,752	,021
	N	50	50	50	50	50	50
Y.22	Pearson Correlation	,363 <sup>**</sup>	,248	,148	,315 <sup>*</sup>	,319 <sup>*</sup>	,224
	Sig. (2-tailed)	,010	,083	,306	,026	,024	,119
	N	50	50	50	50	50	50
Total_Y	Pearson Correlation	,302 <sup>*</sup>	,405 <sup>**</sup>	,751 <sup>**</sup>	,758 <sup>**</sup>	,770 <sup>**</sup>	,703 <sup>**</sup>
	Sig. (2-tailed)	,033	,004	,000	,000	,000	,000
	N	50	50	50	50	50	50

**Correlations**

		Y.13	Y.14	Y.15	Y.16	Y.17	Y.18
Y.20	Pearson Correlation	,216	,007	,130	-,087	,110	,206
	Sig. (2-tailed)	,132	,961	,368	,548	,448	,152
	N	50	50	50	50	50	50
Y.21	Pearson Correlation	,038	,063	-,064	-,027	,244	,067
	Sig. (2-tailed)	,794	,666	,659	,851	,087	,643
	N	50	50	50	50	50	50
Y.22	Pearson Correlation	,193	-,109	,230	-,021	-,072	,248
	Sig. (2-tailed)	,179	,452	,108	,884	,617	,083
	N	50	50	50	50	50	50
Total_Y	Pearson Correlation	,390**	,286*	,284*	,334*	,319*	,405**
	Sig. (2-tailed)	,005	,044	,046	,018	,024	,004
	N	50	50	50	50	50	50

**Correlations**

		Y.19	Y.20	Y.21	Y.22	Total_Y
Y.20	Pearson Correlation	,738**	1	,117	,335*	,508**
	Sig. (2-tailed)	,000		,418	,017	,000
	N	50	50	50	50	50
Y.21	Pearson Correlation	,067	,117	1	-,054	,334*
	Sig. (2-tailed)	,643	,418		,708	,018
	N	50	50	50	50	50
Y.22	Pearson Correlation	,248	,335*	-,054	1	,397**
	Sig. (2-tailed)	,083	,017	,708		,004
	N	50	50	50	50	50
Total_Y	Pearson Correlation	,328*	,508**	,334*	,397**	1
	Sig. (2-tailed)	,020	,000	,018	,004	
	N	50	50	50	50	50

\*\* . Correlation is significant at the 0.01 level (2-tailed).

\* . Correlation is significant at the 0.05 level (2-tailed).

RELIABILITY

/VARIABLES=X1.1 X1.2 X1.3 X1.4 X1.5 X1.6 X1.7 X1.8 X1.9 X1.10 X1.11 X1.12 X1.13 X1.14 X1.15 X1.16 X1.17 X1.18 X1.19 X1.20 X1.21

/SCALE('ALL VARIABLES') ALL

/MODEL=ALPHA

/SUMMARY=TOTAL.

**Reliability**

**Notes**

Output Created		13-MAR-2023 11:57:12
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	50
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=X1.1 X1.2 X1.3 X1.4 X1.5 X1.6 X1.7 X1.8 X1.9 X1.10 X1.11 X1.12 X1.13 X1.14 X1.15 X1.16 X1.17 X1.18 X1.19 X1.20 X1.21 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA /SUMMARY=TOTAL.
Resources	Processor Time	00:00:00,00
	Elapsed Time	00:00:00,00

**Scale: ALL VARIABLES**

**Case Processing Summary**

		N	%
Cases	Valid	50	100,0
	Excluded <sup>a</sup>	0	,0
	Total	50	100,0

a. Listwise deletion based on all variables in the procedure.

**Reliability Statistics**

Cronbach's Alpha	N of Items
,940	21

**Item-Total Statistics**

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
X1.1	75,08	45,708	,547	,940
X1.2	74,92	45,667	,663	,937
X1.3	75,04	44,407	,754	,935
X1.4	75,22	45,073	,729	,936
X1.5	75,26	45,584	,740	,935
X1.6	75,30	45,439	,745	,935
X1.7	75,16	46,178	,781	,935
X1.8	75,06	47,323	,714	,936
X1.9	75,24	46,472	,624	,937
X1.10	75,18	46,804	,664	,937
X1.11	75,20	47,469	,606	,938
X1.12	75,28	46,328	,742	,936
X1.13	75,24	47,166	,630	,937
X1.14	75,14	47,756	,611	,938
X1.15	75,14	48,204	,531	,939
X1.16	75,16	47,035	,717	,936
X1.17	75,24	47,819	,525	,939
X1.18	75,18	47,334	,645	,937
X1.19	75,18	48,559	,438	,940
X1.20	75,12	48,393	,456	,940
X1.21	75,06	48,466	,589	,938

RELIABILITY

```

/VARIABLES=X2.1 X2.2 X2.3 X2.4 X2.5 X2.6 X2.7 X2.8 X2.9 X2.10 X2.11 X2.12 X2
.13 X2.14 X2.15 X2.16 X2.17 X2.18 X2.19 X2.20 X2.21

```

```

/SCALE('ALL VARIABLES') ALL

```

```

/MODEL=ALPHA

```

```

/SUMMARY=TOTAL.

```

## Reliability

**Notes**

Output Created		13-MAR-2023 11:57:28
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	50
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=X2.1 X2.2 X2.3 X2.4 X2.5 X2.6 X2.7 X2.8 X2.9 X2.10 X2.11 X2.12 X2.13 X2.14 X2.15 X2.16 X2.17 X2.18 X2.19 X2.20 X2.21 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA /SUMMARY=TOTAL.
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,01

**Scale: ALL VARIABLES**

**Case Processing Summary**

		N	%
Cases	Valid	50	100,0
	Excluded <sup>a</sup>	0	,0
	Total	50	100,0

a. Listwise deletion based on all variables in the procedure.

**Reliability Statistics**

Cronbach's Alpha	N of Items
,908	21

**Item-Total Statistics**

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
X2.1	78,62	22,730	,487	,909
X2.2	78,60	23,265	,478	,907
X2.3	78,76	23,247	,639	,901
X2.4	78,94	23,160	,675	,900
X2.5	78,96	24,162	,816	,900
X2.6	78,92	24,565	,638	,903
X2.7	78,96	24,937	,520	,905
X2.8	79,00	24,531	,552	,904
X2.9	79,12	23,863	,566	,903
X2.10	79,16	24,096	,479	,905
X2.11	79,08	23,749	,641	,901
X2.12	79,04	23,794	,693	,900
X2.13	79,08	23,871	,534	,904
X2.14	78,96	23,794	,760	,899
X2.15	78,96	24,243	,619	,902
X2.16	78,96	24,243	,619	,902
X2.17	78,90	24,908	,367	,907
X2.18	78,98	24,306	,476	,905
X2.19	79,00	24,204	,549	,903
X2.20	78,94	24,915	,610	,904
X2.21	78,66	25,249	,240	,911

RELIABILITY

/VARIABLES=Y.1 Y.2 Y.3 Y.4 Y.5 Y.6 Y.7 Y.8 Y.9 Y.10 Y.11 Y.12 Y.13 Y.14 Y.15  
Y.16 Y.17 Y.18 Y.19 Y.20 Y.21 Y.22

/SCALE( 'ALL VARIABLES' ) ALL

/MODEL=ALPHA

/SUMMARY=TOTAL.

**Reliability**

**Notes**

Output Created	13-MAR-2023 11:57:39	
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	50
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax	RELIABILITY /VARIABLES=Y.1 Y.2 Y.3 Y.4 Y.5 Y.6 Y.7 Y.8 Y.9 Y.10 Y.11 Y.12 Y.13 Y.14 Y.15 Y.16 Y.17 Y.18 Y.19 Y.20 Y.21 Y.22 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA /SUMMARY=TOTAL.	
Resources	Processor Time	00:00:00,00
	Elapsed Time	00:00:00,01

**Scale: ALL VARIABLES**

**Case Processing Summary**

		N	%
Cases	Valid	50	100,0
	Excluded <sup>a</sup>	0	,0
	Total	50	100,0

a. Listwise deletion based on all variables in the procedure.

**Reliability Statistics**

Cronbach's Alpha	N of Items
,827	22

**Item-Total Statistics**

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
Y.1	78,76	27,247	,704	,806
Y.2	78,78	27,644	,622	,809
Y.3	78,38	28,404	,319	,826
Y.4	78,66	29,168	,499	,817
Y.5	78,66	29,331	,462	,818
Y.6	78,82	27,620	,613	,810
Y.7	78,52	30,744	,256	,826
Y.8	78,56	30,211	,355	,823
Y.9	78,76	27,247	,704	,806
Y.10	78,70	27,684	,718	,807
Y.11	78,72	27,879	,734	,808
Y.12	78,80	28,000	,655	,810
Y.13	79,28	28,614	,253	,832
Y.14	78,86	30,245	,201	,828
Y.15	78,32	29,651	,141	,839
Y.16	78,48	29,112	,190	,837
Y.17	79,02	30,061	,236	,827
Y.18	78,56	30,211	,355	,823
Y.19	78,56	30,496	,274	,825
Y.20	78,58	29,718	,460	,820
Y.21	78,82	29,538	,223	,830
Y.22	78,64	29,786	,326	,823

```

REGRESSION
/MISSING LISTWISE
/STATISTICS COEFF OUTS R ANOVA COLLIN TOL
/CRITERIA=PIN(.05) POUT(.10)
/NOORIGIN
/DEPENDENT Total_Y
/METHOD=ENTER Total_X1 Total_X2
/SCATTERPLOT=(*SRESID ,*ZPRED)
/RESIDUALS DURBIN HISTOGRAM(ZRESID) NORMPROB(ZRESID)
/SAVE RESID.

```

## Regression

### Notes

Output Created		13-MAR-2023 12:35:24
Comments		
Input	Data	D: \Document\UNB\Skripsi\Pengolahan data dengan Excel dan SPSS\SPSS\Data\Data percobaan ok.sav
	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	50
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.

**Notes**

Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA COLLIN TOL /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Total_Y /METHOD=ENTER Total_X1 Total_X2 /SCATTERPLOT=(*SRESID , *ZPRED) /RESIDUALS DURBIN HISTOGRAM(ZRESID) NORMPROB(ZRESID) /SAVE RESID.
Resources	Processor Time	00:00:00,58
	Elapsed Time	00:00:00,57
	Memory Required	2944 bytes
	Additional Memory Required for Residual Plots	664 bytes
Variables Created or Modified	RES_2	Unstandardized Residual

[DataSet0] D:\Document\UNB\Skripsi\Pengolahan data dengan Excel dan SPSS\SPSS  
\Data\Data percobaan ok.sav

**Variables Entered/Removed<sup>a</sup>**

Model	Variables Entered	Variables Removed	Method
1	Pengendalian Internal, Audit Operasional <sup>b</sup>	.	Enter

a. Dependent Variable: Efektivitas Kinerja Manajemen Pergudangan

b. All requested variables entered.

**Model Summary<sup>b</sup>**

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	,866 <sup>a</sup>	,750	,740	2,867	2,320

a. Predictors: (Constant), Pengendalian Internal, Audit Operasional

b. Dependent Variable: Efektivitas Kinerja Manajemen Pergudangan

**ANOVA<sup>a</sup>**

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1161,996	2	580,998	70,684	,000 <sup>b</sup>
	Residual	386,324	47	8,220		
	Total	1548,320	49			

a. Dependent Variable: Efektivitas Kinerja Manajemen Pergudangan

b. Predictors: (Constant), Pengendalian Internal, Audit Operasional

**Coefficients<sup>a</sup>**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	21,544	7,707		2,795	,007
	Audit Operasional	,669	,057	,854	11,680	,000
	Pengendalian Internal	,097	,080	,089	1,219	,229

**Coefficients<sup>a</sup>**

Model		Collinearity Statistics	
		Tolerance	VIF
1	(Constant)		
	Audit Operasional	,993	1,007
	Pengendalian Internal	,993	1,007

a. Dependent Variable: Efektivitas Kinerja Manajemen Pergudangan

**Collinearity Diagnostics<sup>a</sup>**

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions		
				(Constant)	Audit Operasional	Pengendalian Internal
1	1	2,992	1,000	,00	,00	,00
	2	,006	22,637	,03	,87	,19
	3	,002	41,779	,97	,12	,81

a. Dependent Variable: Efektivitas Kinerja Manajemen Pergudangan

### Residuals Statistics<sup>a</sup>


	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	71,31	91,69	82,44	4,870	50
Std. Predicted Value	-2,286	1,900	,000	1,000	50
Standard Error of Predicted Value	,412	1,486	,658	,248	50
Adjusted Predicted Value	71,36	92,00	82,47	4,874	50
Residual	-6,443	5,421	,000	2,808	50
Std. Residual	-2,247	1,891	,000	,979	50
Stud. Residual	-2,312	1,944	-,006	1,008	50
Deleted Residual	-6,818	5,729	-,035	2,980	50
Stud. Deleted Residual	-2,429	2,005	-,010	1,029	50
Mahal. Distance	,030	12,190	1,960	2,562	50
Cook's Distance	,000	,287	,021	,045	50
Centered Leverage Value	,001	,249	,040	,052	50

a. Dependent Variable: Efektivitas Kinerja Manajemen Pergudangan

## Charts


# Histogram

Dependent Variable: Efektivitas Kinerja Manajemen Pergudangan




### Normal P-P Plot of Regression Standardized Residual

Dependent Variable: Efektivitas Kinerja Manajemen Pergudangan



## Scatterplot

Dependent Variable: Efektivitas Kinerja Manajemen Pergudangan



NPAR TESTS

/K-S(NORMAL)=RES\_1

/MISSING ANALYSIS.

## NPar Tests

**Notes**

Output Created		13-MAR-2023 12:36:25
Comments		
Input	Data	D: \Document\UNB\Skripsi\Pengolahan data dengan Excel dan SPSS\SPSS\Data\Data percobaan ok.sav
	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	50
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each test are based on all cases with valid data for the variable(s) used in that test.
Syntax		NPART TESTS /K-S(NORMAL)=RES_1 /MISSING ANALYSIS.
Resources	Processor Time	00:00:00,00
	Elapsed Time	00:00:00,00
	Number of Cases Allowed <sup>a</sup>	196608

a. Based on availability of workspace memory.

**One-Sample Kolmogorov-Smirnov Test**

		Unstandardized Residual
N		50
Normal Parameters <sup>a,b</sup>	Mean	,0000000
	Std. Deviation	2,80787490
Most Extreme Differences	Absolute	,082
	Positive	,051
	Negative	-,082
Test Statistic		,082
Asymp. Sig. (2-tailed)		,200 <sup>c,d</sup>

a. Test distribution is Normal.

b. Calculated from data.

c. Lilliefors Significance Correction.

d. This is a lower bound of the true significance.

GET

FILE= 'D:\Document\UNB\Skripsi\Pengolahan data dengan Excel dan SPSS\SPSS\Data  
a\Data percobaan ok.sav' .

DATASET NAME DataSet1 WINDOW=FRONT.

REGRESSION

/MISSING LISTWISE  
/STATISTICS COEFF OUTS R ANOVA  
/CRITERIA=PIN(.05) POUT(.10)  
/NOORIGIN  
/DEPENDENT Total\_Y  
/METHOD=ENTER Total\_X1 Total\_X2  
/SAVE RESID.

## Regression

### Notes

Output Created		17-MAR-2023 10:38:10
Comments		
Input	Data	D: \Document\UNB\Skripsi\Pengolahan data dengan Excel dan SPSS\SPSS\Data\Data percobaan ok.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	50
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Total_Y /METHOD=ENTER Total_X1 Total_X2 /SAVE RESID.

**Notes**

Resources	Processor Time	00:00:00,00
	Elapsed Time	00:00:00,06
	Memory Required	2912 bytes
	Additional Memory Required for Residual Plots	0 bytes
Variables Created or Modified	RES_1	Unstandardized Residual

[DataSet1] D:\Document\UNB\Skripsi\Pengolahan data dengan Excel dan SPSS\SPSS\Data\Data percobaan ok.sav

**Variables Entered/Removed<sup>a</sup>**

Model	Variables Entered	Variables Removed	Method
1	Pengendalian Internal, Audit Operasional <sup>b</sup>	.	Enter

a. Dependent Variable: Efektivitas Kinerja Manajemen Pergudangan

b. All requested variables entered.

**Model Summary<sup>b</sup>**

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,866 <sup>a</sup>	,750	,740	2,867

a. Predictors: (Constant), Pengendalian Internal, Audit Operasional

b. Dependent Variable: Efektivitas Kinerja Manajemen Pergudangan

**ANOVA<sup>a</sup>**

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1161,996	2	580,998	70,684	,000 <sup>b</sup>
	Residual	386,324	47	8,220		
	Total	1548,320	49			

a. Dependent Variable: Efektivitas Kinerja Manajemen Pergudangan

b. Predictors: (Constant), Pengendalian Internal, Audit Operasional

**Coefficients<sup>a</sup>**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	21,544	7,707		2,795	,007
	Audit Operasional	,669	,057	,854	11,680	,000
	Pengendalian Internal	,097	,080	,089	1,219	,229

a. Dependent Variable: Efektivitas Kinerja Manajemen Pergudangan

**Residuals Statistics<sup>a</sup>**

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	71,31	91,69	82,44	4,870	50
Residual	-6,443	5,421	,000	2,808	50
Std. Predicted Value	-2,286	1,900	,000	1,000	50
Std. Residual	-2,247	1,891	,000	,979	50

a. Dependent Variable: Efektivitas Kinerja Manajemen Pergudangan

```

COMPUTE Abs_RES=ABS(RES_1) .
EXECUTE.
REGRESSION
  /MISSING LISTWISE
  /STATISTICS COEFF OUTS R ANOVA
  /CRITERIA=PIN(.05) POUT(.10)
  /NOORIGIN
  /DEPENDENT Abs_RES
  /METHOD=ENTER Total_X1 Total_X2.

```

## Regression

**Notes**

Output Created		17-MAR-2023 10:39:13
Comments		
Input	Data	D: \Document\UNB\Skripsi\Pengolahan data dengan Excel dan SPSS\SPSS\Data\Data percobaan ok.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	50
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Abs_RES /METHOD=ENTER Total_X1 Total_X2.
Resources	Processor Time	00:00:00,00
	Elapsed Time	00:00:00,07
	Memory Required	2976 bytes
	Additional Memory Required for Residual Plots	0 bytes

**Variables Entered/Removed<sup>a</sup>**

Model	Variables Entered	Variables Removed	Method
1	Pengendalian Internal, Audit Operasional <sup>b</sup>	.	Enter

a. Dependent Variable: Abs\_RES

b. All requested variables entered.

**Model Summary**

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,232 <sup>a</sup>	,054	,014	1,65693

a. Predictors: (Constant), Pengendalian Internal, Audit Operasional

**ANOVA<sup>a</sup>**

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	7,350	2	3,675	1,339	,272 <sup>b</sup>
	Residual	129,035	47	2,745		
	Total	136,385	49			

a. Dependent Variable: Abs\_RES

b. Predictors: (Constant), Pengendalian Internal, Audit Operasional

**Coefficients<sup>a</sup>**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-4,848	4,454		-1,088	,282
	Audit Operasional	,016	,033	,071	,496	,622
	Pengendalian Internal	,070	,046	,215	1,511	,138

a. Dependent Variable: Abs\_RES